



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Organization of:

Laboratorio de Pruebas para La Protección de la Corrosión S.A. de C.V. / Övervak

***Ave. Las Torres 98 y 100 Parque Industrial Escobedo
General Escobedo, Nuevo León, México. C.P. 66062***

*and hereby declares that the Organization is accredited in accordance with
the recognized International Standard:*

ISO/IEC 17025:2017

Whereby, technical competence has been confirmed for the associated scope supplement, in the fields of:

Mechanical and Environmental Simulation Testing (As detailed in the supplement)

Accreditation claims for conformity assessment activities shall only be made from the addresses referenced within this certificate and shall apply solely to those activities identified in the related scope. This Accreditation is granted subject to the Accreditation Body rules governing the Accreditation referred to above, and the Organization hereby commits to observing and complying with those rules in their entirety.

For PJLA:

Initial Accreditation Date:

Issue Date:

Expiration Date:

June 30, 2023

August 30, 2025

November 30, 2027

Accreditation No.:

Certificate No.:

43922

L25-661

Tracy Szeszen
President

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

*The validity of this certificate is maintained through ongoing assessments based
on a continuous accreditation cycle. The validity of this certificate should be
confirmed through the PJLA website: www.pjllabs.com*



Certificate of Accreditation: Supplement

Laboratorio de Pruebas para La Protección de la Corrosión S.A. de C.V. / Övervak

Ave. Las Torres 98 y 100 Parque Industrial Escobedo
General Escobedo, Nuevo León, México. C.P. 66062
Contact Name: Diana Facundo Phone: 813-427-6375

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Mechanical	Organic Coating and Paint	Film Thickness	ASTM D7091 ISO 2808	Thickness Gauge	F1, F2	F
Mechanical	Organic Coating and Paint	Hardness	ASTM D3363 ISO 15184	Pencil Hardness	F1, F2	F
Mechanical	Organic Coating and Paint	Impact	ASTM D2794 ISO 6272-2	Impactometer	F1, F2	F
Mechanical	Organic Coating and Paint	Flexibility	ASTM D522 Method A	Conical Mandrel	F1, F2	F
Mechanical	Organic Coating and Paint	Adhesion	ASTM D3359 Method A Method B ISO 2409 GMW14829	Adhesion kit	F1, F2	F
Mechanical	Organic Coating and Paint	Gloss	ASTM D523 ISO 2813	Glossmeter	F1, F2	F
Mechanical	Organic Coating and Paint	Color	ASTM D2244	Spectrophotometers d/8° / d/45°	F1, F2	F
Environmental Simulation	Organic Coating and Paint	Corrosion Effect and Coating Failures	ASTM D1654 ASTM B117	Salt Spray	F1, F2	F
Environmental Simulation	Organic Coating and Paint	Degree % of Blistering	ASTM D714 ASTM B117	Salt Spray	F1, F2	F
Environmental Simulation	Organic Coating and Paint	Degree % of Rusting	ASTM D610 ASTM B117	Salt Spray	F1, F2	F
Environmental Simulation	Organic Coating and Paint	Fluid Exposure	ASTM D1308 CMT0033 49-00023	Various Fluids Exposure	F1, F2	F



Certificate of Accreditation: Supplement

Laboratorio de Pruebas para La Protección de la Corrosión S.A. de C.V. / Övervak

Ave. Las Torres 98 y 100 Parque Industrial Escobedo
General Escobedo, Nuevo León, México. C.P. 66062
Contact Name: Diana Facundo Phone: 813-427-6375

Accreditation is granted to the facility to perform the following conformity assessment activities:

FIELD OF TEST	ITEMS, MATERIALS, OR PRODUCTS TESTED	COMPONENT, CHARACTERISTIC, PARAMETER TESTED	SPECIFICATION OR STANDARD METHOD	TECHNOLOGY OR TECHNIQUE USED	FLEX CODE	LOCATION OF ACTIVITY
Environmental Simulation	Organic Coating and Paint	Fluid Exposure	ISO 6270-2 ASTM D2803 (procedure C)	Salt Spray	F1, F2	F
Environmental Simulation	Organic Coating and Paint	Solvent Exposure	ASTM D5402 GMW15891	Various Fluids Exposure	F1, F2	F
Environmental Simulation	Metallic and Materials with Metallic Coating and Organic Coating	Corrosion	ASTM B117 ASTM D1654 ASTM D714 ASTM D610 ASTM D1735 ASTM D2247 SAE J2334 ASTM G85	Salt Spray	F1, F2	F

1. Location of activity:

Location Code

F

Location

Conformity assessment activity is performed at the CAB's fixed facility

2. Flex Code:

- F0: When no flexibility is identified. There are no changes to items tested, characteristics identified or versions of methods except for updating to the most recent version of a standard method after verification.
- F1: The laboratory has the capability to test a new item, material, matrix, or product similar in composition to item, material, matrix, or product identified on the scope
- F2: The laboratory has the capability to introduce the newest revision of an accredited authoritative standard method (with no modifications) identified on the scope
- F3: The laboratory has the capability to introduce a parameter/component/analyte to an accredited test method identified on the scope
- F4: The laboratory has the capability to introduce a new revision of an accredited non-standard method using the same technology or technique identified on the scope
- F5: The laboratory has the capability to introduce a validated method that is equivalent to an accredited method (using same technology or technique) identified on the scope for the same parameter, component, or analyte identified on the line item of the scope.